Construction and Building Materials 111 (2016) 399–407

Contents lists available at ScienceDirect

Construction and Building Materials

journal homepage: www.elsevier.com/locate/conbuildmat

Improved Mode I fracture resistance of CFRP composites by reinforcing epoxy matrix with recycled short milled carbon fibre

Sagar T. Cholake [a], Grainne Moran [a], Bill Joe [a], Yu Bai [b], R.K. Singh Raman [c], X.L. Zhao [b], Sami Rizkalla [d], Sri Bandyopadhyay [a,*]

[a] School of Materials Science and Engineering & Mark Wainwright Analytical Centre, University of New South Wales, Sydney, NSW 2052, Australia
[b] Department of Civil Engineering, Monash University, Clayton, VIC 3800, Australia
[c] Department of Mechanical and Aerospace Engineering and Department of Chemical Engineering, Monash University, Clayton, VIC 3800, Australia
[d] Civil Engineering & Construction, North Carolina State University, Raleigh, NC 27695, USA

HIGHLIGHTS

- Recycled short milled carbon fibres are proved advantageous to increase G_{IC} of epoxy resin.
- Higher energy absorption through individual debonding and pull-out mechanisms is observed.
- Correlation between fracture toughness of matrix and composite is discussed.